

PHYSICS

© UCLES 2019

9702/21 October/November 2019

Paper 2 AS Level Structured Questions MARK SCHEME Maximum Mark: 60

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2019 series for most Cambridge IGCSE[™], Cambridge International A and AS Level components and some Cambridge O Level components.

This document consists of **11** printed pages.

Cambridge Assessment

[Turn over

Buy IGCSE, O / A Level Books, Past Papers & Revision Notes Online at Discounted Prices Visit: www.TeachifyMe.com / Shop Call / WhatsApp: (0331-9977798) Delivering all Over Pakistan

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always whole marks (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Question	Answer	Marks
1(a)(i)	mass in range 1–20 g	A1
1(a)(ii)	wavelength in range 1 \times 10 ⁻⁸ m to 4 \times 10 ⁻⁷ m	A1
1(b)(i)	$T = 2\pi \times (200 \times 10^{-3} / 25)^{0.5}$ = 0.56 s	A1
1(b)(ii)	percentage uncertainty = (2% + 8%) / 2 (= 5%) or fractional uncertainty = (0.02+0.08) / 2 (= 0.05)	C1
	$\Delta T = 0.56 \times 0.05$ = 0.028 (s)	C1
	$T = (0.56 \pm 0.03) \mathrm{s}$	A1

Question	Answer	Marks
2(a)	the (two) plates are <u>vertical</u> (and separated)	B1
	left plate positively charged and right plate negatively charged/earthed or right plate negatively charged and left plate positively charged/earthed	B1
2(b)	F = Eq	C1
	$= 1.3 \times 10^4 \times 3.7 \times 10^{-9}$	A1
	= $4.8 \times 10^{-5} \text{ N}$	
2(c)	$F^2 = (4.8 \times 10^{-5})^2 + (5.4 \times 10^{-5})^2$ so $F = 7.2 \times 10^{-5}$ N or	A1
	$F = [(4.8 \times 10^{-5})^2 + (5.4 \times 10^{-5})^2]^{0.5}$ so $F = 7.2 \times 10^{-5}$ N	
2(d)	electric force is constant (because field strength/ <i>E</i> is constant)	B1
	weight is constant (and so resultant force constant)	B1
2(e)(i)	$m = 5.4 \times 10^{-5} / 9.81 \ (= 5.5 \times 10^{-6})$	C1
	$a = 7.2 \times 10^{-5} / (5.5 \times 10^{-6})$	A1
	=13 m s ⁻²	
2(e)(ii)	$v^2 = u^2 + 2as$	C1
	$v^2 = 2 \times 13 \times 0.58$	
	$v = 3.9 \text{ m s}^{-1}$	A1

9702/21

Question	Answer	Marks
3(a)	$\rho = m / V$	C1
	$V = \pi \times (0.16 / 2)^2 \times 7.6 \times 3.0 \ (= 0.458 \ \text{m}^3)$	C1
	$m = \pi \times (0.16/2)^2 \times 7.6 \times 3.0 \times 1.2 = 0.55 \text{ kg}$	A1
3(b)(i)	$\Delta p = 0.55 \times 7.6$	A1
	= 4.2 N s	
3(b)(ii)	$F = 4.2/3.0$ or $0.55 \times 7.6/3.0$	A1
	= 1.4 N	
3(c)(i)	<i>F</i> = 1.4 N	A1
3(c)(ii)	Newton's third law (of motion)	B1
3(d)	$2 \times 1.4 = m \times 9.81$	A1
	<i>m</i> = 0.29 kg	
3(e)	the density of air is less at high altitude	B1
3(f)	$f_{\rm o} = f_{\rm s} v / (v - v_{\rm s})$	C1
	= 3000 × 340 / (340 – 22)	
	= 3200 Hz	A1

Question	Answer	Marks
4(a)	k = F / x or $k =$ gradient	C1
	e.g. <i>k</i> = 4.0 / 0.050	A1
	$k = 80 \text{ N m}^{-1}$	
4(b)	$E = \frac{1}{2}Fx$ or $E = \frac{1}{2}kx^2$ or E = area under graph	C1
	$(\Delta)E = (\frac{1}{2} \times 3.2 \times 0.040) - (\frac{1}{2} \times 1.2 \times 0.015) = 0.055 \text{ J}$ or $(\Delta)E = (\frac{1}{2} \times 80 \times 0.040^2) - (\frac{1}{2} \times 80 \times 0.015^2) = 0.055 \text{ J}$ or	A1
	$(\Delta)E = \frac{1}{2} \times (1.2 + 3.2) \times 0.025 = 0.055 \text{ J}$	
4(c)	$(\Delta)E = mg(\Delta)h$	C1
	= 0.122 × 9.81 × (0.120 – 0.095)	A1
	= 0.030 J	
	or	
	$(\Delta)E = W \times (\Delta)h$	(C1)
	= 1.2 × 0.025	(A1)
	= 0.030 J	

Question	Answer	Marks
4(d)(i)	E = 0.055 - 0.030	A1
	= 0.025 J	
4(d)(ii)	$E = \frac{1}{2}mv^2$	C1
	$v = [(2 \times 0.025) / 0.122]^{0.5}$	A1
	= 0.64 m s ⁻¹	

Question	Answer	Marks
5(a)(i)	the dippers are connected to the same vibrator/motor	B1
5(a)(ii)	(the overlapping waves have) similar/same amplitude	B1
5(b)	any means of 'freezing' the pattern e.g. use a stroboscope/strobe	B1
5(c)	$vT = \lambda$ or $v = f\lambda$ and $f = 1 / T$	C1
	T = 0.060 / 0.40	A1
	= 0.15 s	
5(d)(i)	path difference = 3.0 cm	A1
5(d)(ii)	phase difference = 180°	A1
5(e)	line drawn joining points where only maxima are observed (i.e. through points where wavefronts intersect) of length at least 4 cm	B1

© UCLES 2019

Question	Answer	Marks
6(a)	work done / charge or energy (transferred from electrical to other forms) / charge	B1
6(b)	for V < 0.25 V resistance is infinite/very high (as current is zero)	B1
	for V > 0.25 V resistance decreases (as V increases)	B1
6(c)(i)	R = V/I	C1
	= 0.75 / (15 × 10 ⁻³)	C1
	= 50 Ω	A1

9702/21

Question	Answer	Marks
6(c)(ii)	1. $V_{\rm Y} = 15 \times 10^{-3} \times 60 \ (= 0.90 \ {\rm V})$	C1
	V _X = 2.0 - 0.90 - 0.75 (= 0.35 V)	C1
	$R_{\rm X} = 0.35 / (15 \times 10^{-3})$	A1
	= 23 Ω	
	or	
	total $R = 60 + 50 + R_X$	(C1)
	$60 + 50 + R_X = 2.0 / (15 \times 10^{-3})$	(C1)
	$R_{\rm X}$ = 23 Ω	(A1)
	2. $P = VI$ or $P = EI$ or $P = I^2 R$ or $P = V^2 / R$	C1
	ratio = $\frac{(15 \times 10^{-3})^2 \times 60}{2.0 \times 15 \times 10^{-3}}$ or $\frac{0.90 \times 15 \times 10^{-3}}{2.0 \times 15 \times 10^{-3}}$ or $\frac{(0.90^2 / 60)}{2.0 \times 15 \times 10^{-3}}$	A1
	= 0.45	

Question	Answer	Marks
7(a)(i)	proton number = 17 and nucleon number = 35	A1
7(a)(ii)	(electron) neutrino	B1
7(b)	d/down (quark charge) is $-\frac{1}{3}(e)$ or <u>two</u> d/down (quark charges) is $-\frac{2}{3}(e)$ or s/strange (quark charge) is $-\frac{1}{3}(e)$	C1
	charge = $-\frac{1}{3}(e) -\frac{1}{3}(e) -\frac{1}{3}(e)$ = $-1(e)$	A1