

Cambridge IGCSE[™]

CANDIDATE NAME		
CENTRE NUMBER	CANDIDATE NUMBER	

CHEMISTRY 0620/31

Paper 3 Theory (Core)

May/June 2020

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

This document has 20 pages. Blank pages are indicated.

IB20 06_0620_31/2RP © UCLES 2020

[Turn over

1	(a) A II	st of symbols and formulae is snown.
		A13+
		CH₄
		CO ₂
		Fe ³⁺
		N_2
		NO ₂
		$oldsymbol{O}_2$
		Zn²+
		211
		swer the following questions about these symbols and formulae. ch symbol or formula may be used once, more than once or not at all.
	Wh	ich symbol or formula represents:
	(i)	a compound which contributes to acid rain
		[1]
	(**)	
	(ii)	a compound which is a product of respiration
		[1]
	/iii\	a gas which forms 21% of close dry air
	(iii)	a gas which forms 21% of clean dry air
		[1]
	(iv)	an ion which forms a red-brown precipitate when added to aqueous sodium hydroxide
	(14)	an ion which forms a red-brown precipitate when added to aqueous socium nydroxide
		[1]
	(v)	an ion formed when an atom gains electrons?
	(٧)	an for formed when an atom gains elections:

(b) Complete the table to show the relative charge and approximate relative mass of a proton, a neutron and an electron.

type of particle	relative charge	approximate relative mass
proton	+1	
neutron		
electron		1 2000

[3]

(c)	Deduce the	number o	f electrons a	and ne	utrons in	an atom	of the	isotope	of iron	shown
-----	------------	----------	---------------	--------	-----------	---------	--------	---------	---------	-------

[Total: 10]

2 A solution is obtained by filtering a mixture of soil and water. The table shows the mass of some of the ions in 1000 cm³ of this solution.

name of ion	formula of ion	mass of ion in 1000 cm ³ of soil solution/mg
aluminium	Al ³⁺	0.1
	NH ₄ ⁺	35.0
calcium	Ca ²⁺	1.3
iron(II)	Fe²+	47.0
magnesium	Mg ²⁺	0.2
	NO ₃ -	23.0
phosphate	PO ₄ ³⁻	4.2
potassium	K ⁺	99.0
sulfate	SO ₄ ²⁻	7.5

(a) Answer these questions using the information in the table.

	(i)	Which negative ion has the lowest concentration?	
		[1	1
	(ii)	State the name of the NO ₃ ⁻ ion.	
		[1	1
(iii)	Calculate the mass of phosphate ions in 250 cm³ of this solution.	
		mass = mg [1	1
(iv)	Name the compound that contains $\mathrm{NH_4^+}$ ions and $\mathrm{PO_4^{3-}}$ ions.	
		[1	1
(b)	Des	cribe a test for potassium ions.	
(~)			
		ervations	

[2]

(C)	The names and formulae for some compounds are snown.
	aluminium phosphate, A <i>l</i> PO ₄ calcium phosphate, Ca ₃ (PO ₄) ₂ potassium phosphate, K ₃ PO ₄
	Deduce the formula for magnesium phosphate.
	[1]

[Total: 7]

3 Many compounds and elements have important uses.

(a) Complete the table to show the name, formula and use of each compound and element.

		1	
name of compound or element	number of atoms in the formula	formula	use
chlorine	chlorine = 2	Cl_2	
	carbon = 1 hydrogen = 4	CH₄	
calcium carbonate	calcium = 1 carbon = 1 oxygen = 3		

[5]

(b) The table shows the minimum temperature for the reduction of four metal oxides by carbon.

metal oxide	minimum temperature for reduction by carbon
calcium oxide	not reduced at 1530 °C
iron(II) oxide	reduced at 650°C
titanium oxide	reduced at 1530 °C
zinc oxide	reduced at 720°C

Put the four metals in order of their reactivity. Put the least reactive metal first.

least reactive —			-	most reactive

[2]

(c)	Anhydrous copper(II) sulfate, CuSO ₄ , is used to test for water.						
	(i)	Describe the change in colour when water is added to anhydrous copper(II) sulfate.					
		from to	 [2]				
	(ii)	This reaction is reversible.					
		Describe how this reaction can be reversed.					
			[1]				
	(iii)	State one use of water in industry.					
			[1]				
		[Total:	11]				

4 The properties of five alkenes at room temperature are shown in the table.

alkene	number of carbon atoms in a molecule	state at room temperature	density in g/cm³	boiling point /°C
ethene	2	gas	0.0012	-104
propene	3	gas	0.0018	-47
butene	4	gas	0.0024	
pentene	5	liquid	0.64	30
hexene	6	liquid	0.67	63


(a)	Ans	swer these questions using only the information in the table.	
	(i)	Predict the boiling point of butene.	
		······································	C [1
	(ii)	Describe the general trend in the density of the alkenes.	
			[1
((iii)	Suggest why the densities of the first three alkenes are much lower than the dense pentene and hexene.	ity c
			[1
(b)	(i)	Complete the chemical equation for the complete combustion of propene.	
		$2C_3H_6 + \dots O_2 \rightarrow 6CO_2 + 6H_2O$	[1
	(ii)	Describe a test for carbon dioxide.	
		test	
		observations	[2
((iii)	Universal indicator is added to an aqueous solution of carbon dioxide.	
		What colour change is observed?	
		from green to	
		Give a reason for your answer.	

[2]

(c) When propene undergoes incomplete combustion, carbon monoxide is formed.						
	(i)	What condition is needed for incomplete combustion?				
(ii) Give one adverse effect of carbon monoxide on health.						
		[1]				
		[Total: 10]				

5 When concentrated hydrochloric acid is electrolysed, gases are produced at the electrodes.

The incomplete apparatus is shown.



- (a) (i) Complete the diagram by:
 - labelling the anode and cathode
 - showing how the gases are collected.

[2]

(ii) Predict the products of this electrolysis at the:

positive electrode	
negative electrode.	
ŭ	[2]

(iii) Graphite (carbon) electrodes are used in this electrolysis.

Suggest **one** other element that can be used as an electrode and give a reason, other than that it can conduct electricity.

element	 	 	
reason	 	 	
			[2]

(b) Hydrogen chloride is produced when chlorine reacts with hydrogen.

Complete the chemical equation for this reaction.

$$Cl_2 + \dots \rightarrow \dots HCl$$
 [2]

(c) Aqueous chlorine reacts with aqueous sodium id


Cl_2 + 2NaI	\rightarrow	I_2	+	2NaC1
---------------	---------------	-------	---	-------

(i)	How does this reaction show that chlorine is more reactive than iodine?	
		[1]
(ii)	What colour is iodine in aqueous solution?	
		[1]
		Total: 10]

6	Acid	Acids have characteristic properties.							
	(a)	(a) Hydrochloric acid reacts with magnesium.							
	Name the products of this reaction and give the observations.								
					[4]				
	(b)	The rate of reaction of iron(II) the time taken to produce 20			c acid can be determined by measuring				
		A student measured the time taken to produce 20 cm ³ of carbon dioxide at three different temperatures.							
		In each experiment the student used:							
	 1g of large pieces of iron(II) carbonate dilute hydrochloric acid of the same concentration and volume. The results are shown in the table.								
			temperature /°C	time /s					
			20	38					
			25	30					
			30	19					

	(ii)	Describe the entemperature.	ffect of each of the	following on the	rate of this	reaction at	constant
		Smaller piece	ces of iron(II) carbon	ate are used.			
		All other condition	ons stay the same.				
		The concentration	tration of hydrochlori	c acid is decreased	I.		
		All other condition	ons stay the same.				
							[2]
(c)	The	e reaction of iron(II) carbonate with hy	drochloric acid is e	xothermic.		
	Wh	at is meant by the	e term exothermic?				
							[1]
(d)	Rus	st contains compo	ounds of iron.				
	Sta	te two conditions	needed for iron to ru	ıst.			
							[2]
(e)	Iror	and magnesium	are both used in allo	pys.			
	Wh	ich one of these	diagrams, A , B , C or	D , best represents	an alloy?		
		Α	В	С		D	
							[1]
						Γ	Total: 11]

7 The structure of myrcene is shown.




(a)	Deduce the formula of myrcene to show the number of atoms of carbon and hydrogen.	
	[1]

(b) Myrcene is found in some plants.

The coloured compounds in plant leaves can be separated by chromatography.

Complete the diagram by putting the correct labels in the boxes.



(c) Myrcene is an unsaturated hydrocarbon.

[2]

[3]

(d) Butane is a saturated hydrocarbon.

To which homologous series does butane belong?

Draw a circle around the correct answer.

alcohol alkane alkene carboxylic acid [1]

(e) Large hydrocarbons can be cracked to form smaller hydrocarbons.

Complete the chemical equation for cracking tridecane, $C_{13}H_{28}$, to form an alkene and one other hydrocarbon.

$$C_{13}H_{28} \rightarrow C_3H_6 + \dots$$
 [1]

(f) Ethene is an alkene.

Draw the structure of ethene showing all of the atoms and all of the bonds.

[1]

(g) Complete the sentences about the separation of hydrocarbons from petroleum using words from the list.

[Total: 12]

8 The diagram shows part of the structures of sodium bromide and sulfur.

sodium bromide	Sultur
Na ⁺ Br ⁻ Na ⁺ Na ⁺	

(a) Describe both sodium bromide and sulfur in terms of:

	• bonding	
	electrical conductivity	
	solubility in water.	•••
	Solubility in water.	
		•••
		 [5]
(b)	Sulfur is an element.	
	What is meant by the term <i>element</i> ?	
	•	
		11

(c)	Soc	dium can be extracted from sodium bromide by electrolysis.													
	Soc	dium is a metal in Group I of the Periodic Table.													
	(i)	Describe one chemical property of sodium.													
		[1]													
	(ii)	Which two of these statements about the physical properties of sodium are correct?													
		Tick two boxes.													
		Sodium is very hard.													
		Sodium has a high density.													
		Sodium conducts electricity.													
		Sodium is malleable.													
		Sodium does not conduct heat. [2]													
		[Total: 9]													

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

	₹	2	He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon													
	=				6	Щ	fluorine 19	17	Cl	chlorine 35.5	35	Ā	bromine 80	53	П	iodine 127	85	Αŧ	astatine -													
					8	0	oxygen 16	16	S	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ъ	polonium —	116	^	livermorium -										
	>				7	Z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	<u>B</u>	bismuth 209													
	≥															9	O	carbon 12	14	S	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	Pb	lead 207	114	ŀβ
	=				5	В	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204													
								'			30	Zu	zinc 65	48	Ö	cadmium 112	80	Нg	mercury 201	112	Ö	copernicium —										
											29	Cn	copper 64	47	Ag	silver 108	79	Αn	gold 197	111	Rg	roentgenium -										
dn											28	z	nickel 59	46	Pd	palladium 106	78	₫	platinum 195	110	Ds	darmstadtium -										
Group											27	ပိ	cobalt 59	45	돈	rhodium 103	77	'n	iridium 192	109	¥	meitnerium -										
		-	I	hydrogen 1							26	Ьe	iron 56	44	Ru	ruthenium 101	9/	Os	osmium 190	108	Hs	hassium -										
					_						25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium —										
						loc	SS				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium -										
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	д	tantalum 181	105	Вb	dubnium —										
					10	ato	<u>re</u>				22	F	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	꿉	rutherfordium —										
											21	လွ	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids											
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	56	Ba	barium 137	88	Ra	radium -										
	_				8	:=	lithium 7	1	Na	sodium 23	19	¥	potassium 39	37	R _o	rubidium 85	22	Cs	caesium 133	87	ᇁ	francium -										

71	Γn	lutetium	175	103	۲	lawrencium	ı
70	Υp	ytterbium	173	102	8 N	nobelium	ı
69	T	thulium	169	101	Md	mendelevium	ı
89	щ	erbinm	167	100	Fm	fermium	I
29	웃	holmium	165	66	Es	einsteinium	I
99	۵	dysprosium	163	86	ర	californium	ı
65	Тр	terbium	159	26	BK	berkelium	ı
64	В	gadolinium	157	96	Cm	curium	I
63	En	europium	152	92	Am	americium	ı
62	Sm	samarium	150	94	Pn	plutonium	I
61	Pm	promethium	1	93	dN	neptunium	ı
09	PΝ	neodymium	144	92	\supset	uranium	238
29	Ą	praseodymium	141	91	Ра	protactinium	231
28	Ce	cerium	140	06	Ч	thorium	232
22	Га	lanthanum	139	88	Ac	actinium	I

lanthanoids

actinoids

The volume of one mole of any gas is $24\,dm^3$ at room temperature and pressure (r.t.p.).