



Cambridge International AS & A Level

BIOLOGY

9700/35

Paper 3 Paper 35 (Advanced Practical Skills 1)

May/June 2020

MARK SCHEME

Maximum Mark: 40

Published

Students did not sit exam papers in the June 2020 series due to the Covid-19 global pandemic.

This mark scheme is published to support teachers and students and should be read together with the question paper. It shows the requirements of the exam. The answer column of the mark scheme shows the proposed basis on which Examiners would award marks for this exam. Where appropriate, this column also provides the most likely acceptable alternative responses expected from students. Examiners usually review the mark scheme after they have seen student responses and update the mark scheme if appropriate. In the June series, Examiners were unable to consider the acceptability of alternative responses, as there were no student responses to consider.

Mark schemes should usually be read together with the Principal Examiner Report for Teachers. However, because students did not sit exam papers, there is no Principal Examiner Report for Teachers for the June 2020 series.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the June 2020 series for most Cambridge IGCSE™ and Cambridge International A & AS Level components, and some Cambridge O Level components.

This document consists of **8** printed pages.

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

1	Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
2	The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
3	Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
4	The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.
5	<p><u>'List rule' guidance</u></p> <p>For questions that require <i>n</i> responses (e.g. State two reasons ...):</p> <ul style="list-style-type: none">• The response should be read as continuous prose, even when numbered answer spaces are provided• Any response marked <i>ignore</i> in the mark scheme should not count towards <i>n</i>• Incorrect responses should not be awarded credit but will still count towards <i>n</i>• Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should not be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response• Non-contradictory responses after the first <i>n</i> responses may be ignored even if they include incorrect science.

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form, (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Mark scheme abbreviations:

;	separates marking points
/	alternative answers for the same marking point
R	reject
A	accept
I	ignore
AVP	any valid point
AW	alternative wording (where responses vary more than usual)
ecf	error carried forward
<u>underline</u>	actual word underlined must be used by candidate (grammatical variants accepted)
max	indicates the maximum number of marks that can be given
ora	or reverse argument

Question	Answer	Marks
1(a)(i)	Y – low <u>and</u> H – medium / high <u>and</u> C – medium / high ;	1
1(a)(ii)	1 <i>labels under correct sequence of beakers:</i> 0.5, 0.25, 0.125, 0.0625 <u>and</u> % once ; 2 shows transfer of 10 (cm ³) from second beaker to third beaker and 10 (cm ³) from third beaker to fourth beaker and 10 (cm ³) from fourth beaker to fifth beaker <u>and</u> cm ³ once ; 3 shows 10 (cm ³) of W added to each beaker <u>and</u> cm ³ once ;	3
1(a)(iii)	1 <i>heading for independent variable:</i> percentage concentration of copper sulfate solution / AW <u>and</u> units <u>and</u> to the left of the dependent variable ; 2 <i>heading for dependent variable:</i> time <u>and</u> s / sec / seconds ; 3 records results for at least five concentrations ; 4 records results in whole seconds ; 5 <i>expected trend:</i> highest percentage copper sulfate solution has the longest time to collect oxygen ;	5
1(a)(iv)	(percentage) concentration of copper sulfate (solution) ;	1
1(a)(v)	1 use (thermostatically controlled water-baths at different temperatures ; 2 state at least five different temperatures between 0 °C and 100 °C / <i>ref. to</i> equilibrating Y and H to required temperature before mixing ;	2
1(b)(i)	1 change in mass: (-) <u>6.24</u> ; 2 percentage change: <u>-2.50</u> ;	2
1(b)(ii)	repeat experiment <u>and</u> calculate a mean ;	1

Question	Answer	Marks
1(c)(i)	1 x-axis: inhibitor <u>and</u> y-axis: volume of oxygen after 5 minutes / cm ³ ; 2 scale on y-axis: 2 to 2 cm, labelled at least every 2 cm <u>and</u> bars labelled on x-axis with letters of inhibitors ; 3 all bars plotted accurately, with horizontal line at the top of each ; 4 bars of equal width <u>and</u> separated <u>and</u> drawn with thin continuous lines ;	4
1(c)(ii)	<i>any three from :</i> 1 inhibitor similar shape to substrate ; 2 inhibitor complementary shape to active site of enzyme ; 3 inhibitor, binds to / competes with substrate for, the active site ; 4 fewer, enzyme-substrate complexes / ESC, formed ;	3

Question	Answer	Marks
2(a)(i)	TS <i>Euphorbia</i> leaf 1 suitable size <u>and</u> no shading ; 2 draws whole leaf section <u>and</u> no cells ; 3 correct proportions of tissues ; 4 correct shapes and number of, tissues / layers ; 5 label line <u>and</u> label to upper epidermis ;	5
2(a)(ii)	TS <i>Euphorbia</i> leaf 1 suitable size <u>and</u> draws lines that are continuous, thin and sharp ; 2 draws four cells in a line <u>and</u> adjacent cells are touching ; 3 draws two lines around each cell <u>and</u> three lines where cells touch ; 4 label line <u>and</u> label to one cell wall ;	4
2(b)(i)	1 (records length of line X–Y as) 78 (eyepiece graticule units) ; 2 78×22.7 ; 3 $1771 \mu\text{m}$ / 1.77 mm ; A answers to 2 or more significant figures	3

Question	Answer	Marks																																								
2(b)(ii)	1 shows addition of the five numbers <u>and</u> division by five ; 2 shows correct answer as 69.9 <u>and</u> states units as μm ; A 69.86	2																																								
2(c)	1 records only observable differences ; 2, 3 and 4 <i>any three from:</i> <table border="1" data-bbox="338 520 1581 1278"> <thead> <tr> <th data-bbox="338 520 725 585">feature</th> <th data-bbox="725 520 1151 585">L1</th> <th data-bbox="1151 520 1581 585">Fig. 2.3</th> <th data-bbox="1581 520 1608 585"></th> </tr> </thead> <tbody> <tr> <td data-bbox="338 585 725 683">(relative) size of vascular tissue</td> <td data-bbox="725 585 1151 683">small(er)</td> <td data-bbox="1151 585 1581 683">large(r)</td> <td data-bbox="1581 585 1608 683">;</td> </tr> <tr> <td data-bbox="338 683 725 748">shape of vascular tissue</td> <td data-bbox="725 683 1151 748">round(er)</td> <td data-bbox="1151 683 1581 748">heart-shaped / AW</td> <td data-bbox="1581 683 1608 748">;</td> </tr> <tr> <td data-bbox="338 748 725 845">ring of cells around vascular tissue</td> <td data-bbox="725 748 1151 845">absent / not present / none</td> <td data-bbox="1151 748 1581 845">present</td> <td data-bbox="1581 748 1608 845">;</td> </tr> <tr> <td data-bbox="338 845 725 911">xylem</td> <td data-bbox="725 845 1151 911">randomly arranged</td> <td data-bbox="1151 845 1581 911">arranged in rows</td> <td data-bbox="1581 845 1608 911">;</td> </tr> <tr> <td data-bbox="338 911 725 976">(relative) size of air spaces</td> <td data-bbox="725 911 1151 976">large(r)</td> <td data-bbox="1151 911 1581 976">small(er)</td> <td data-bbox="1581 911 1608 976">;</td> </tr> <tr> <td data-bbox="338 976 725 1042">epidermis</td> <td data-bbox="725 976 1151 1042">cells have inclusions</td> <td data-bbox="1151 976 1581 1042">cells have no inclusions</td> <td data-bbox="1581 976 1608 1042">;</td> </tr> <tr> <td data-bbox="338 1042 725 1107">cuticle</td> <td data-bbox="725 1042 1151 1107">thin(ner) / absent / not present</td> <td data-bbox="1151 1042 1581 1107">thick(er) / present</td> <td data-bbox="1581 1042 1608 1107">;</td> </tr> <tr> <td data-bbox="338 1107 725 1173">(relative) number of layers</td> <td data-bbox="725 1107 1151 1173">few(er)</td> <td data-bbox="1151 1107 1581 1173">more</td> <td data-bbox="1581 1107 1608 1173">;</td> </tr> <tr> <td data-bbox="338 1173 725 1278">palisade layer</td> <td data-bbox="725 1173 1151 1278">present in the midrib / above vascular bundle</td> <td data-bbox="1151 1173 1581 1278">absent in the midrib / absent above vascular bundle</td> <td data-bbox="1581 1173 1608 1278">;</td> </tr> </tbody> </table>	feature	L1	Fig. 2.3		(relative) size of vascular tissue	small(er)	large(r)	;	shape of vascular tissue	round(er)	heart-shaped / AW	;	ring of cells around vascular tissue	absent / not present / none	present	;	xylem	randomly arranged	arranged in rows	;	(relative) size of air spaces	large(r)	small(er)	;	epidermis	cells have inclusions	cells have no inclusions	;	cuticle	thin(ner) / absent / not present	thick(er) / present	;	(relative) number of layers	few(er)	more	;	palisade layer	present in the midrib / above vascular bundle	absent in the midrib / absent above vascular bundle	;	4
feature	L1	Fig. 2.3																																								
(relative) size of vascular tissue	small(er)	large(r)	;																																							
shape of vascular tissue	round(er)	heart-shaped / AW	;																																							
ring of cells around vascular tissue	absent / not present / none	present	;																																							
xylem	randomly arranged	arranged in rows	;																																							
(relative) size of air spaces	large(r)	small(er)	;																																							
epidermis	cells have inclusions	cells have no inclusions	;																																							
cuticle	thin(ner) / absent / not present	thick(er) / present	;																																							
(relative) number of layers	few(er)	more	;																																							
palisade layer	present in the midrib / above vascular bundle	absent in the midrib / absent above vascular bundle	;																																							